

AT A WORK SESSION OF THE BOARD OF DIRECTORS OF THE JAMES CITY SERVICE AUTHORITY, JAMES CITY COUNTY, VIRGINIA, HELD ON THE 3RD DAY OF MARCH NINETEEN HUNDRED EIGHTY-SIX AT 5:10 P.M. IN THE COUNTY GOVERNMENT CENTER BOARD ROOM, 101 MOUNTS BAY ROAD, JAMES CITY COUNTY, VIRGINIA.

A. ROLL CALL

Thomas D. Mahone, Chairman
Perry M. DePue, Vice-Chairman
William F. Brown
Jack D. Edwards
Stewart U. Taylor

James B. Oliver, Jr., Secretary
John E. McDonald, Treasurer
Frank M. Morton, III, County Attorney
Sanford B. Wanner, Business Manager

Mr. Sanford Wanner opened the Work Session on water and sewer rates. Mr. Bob Savage, the Service Authority Management Assistant, then presented an analysis of proposed water and sewer rates over a five-year period. Following this presentation, Mr. Mahone opened the meeting for discussion of the proposed rates and fees.

Mr. Brown supported the five-year plan, but thought that the first year increase was high. He suggested that rates be increased by 20¢ per year.

Mr. Edwards expressed the view that having a large increase the first year with smaller increases later was better since it is difficult to get the public's attention every year.

Mr. DePue expressed his concern over the increase in connection fees and requested that staff notify citizens who had not connected into the system about the proposed increases. Mr. DePue further requested the staff to look into "grand-fathering" fees.


Mr. Brown recommended that the water rates begin at \$1.80 per 1,000 gallons and increase by 20¢ per year. The Board concurred in this rate proposal.

The Board also agreed to the connection fee proposals for both water and sewer.

Mr. Mahone suggested that sewer rates begin at \$1.50 per 1,000 gallons. Mr. DePue recommended \$1.60. The Board agreed to the \$1.60 rate proposal.

Mr. Edwards suggested that the public be made aware of the fact that water rates have not risen in seven years.

The Board of Directors recessed at 6:15 p.m.



James B. Oliver, Jr.
Secretary to the Board

SW/jw
BOS 15